



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## BURROWING OWL LAYS EGG IN CAPTIVITY

Last season, on April 20th, 1920, while digging out a burrowing owl hole in a wheat field in Benicia I captured the female owl in the nest cavity. One egg had been laid in the enlarged chamber, six feet from the entrance, with no nest except dried horse dung, which carpeted the burrow from the entrance. I took the owl home and improvised a cage for her. On the morning of the second day after her capture, when we arose in the morning, we found an egg on the board floor of the box in which we had confined her. I thought she might lay some more as this was but her second one, and one's natural impression would be that eggs in process of formation would necessarily have to develop and be deposited; however, birds apparently have remarkable control over this function, as, for instance, is evidenced by the fact that a complete new set of eggs can be brought into existence within a comparatively few days after the destruction of a previous set. It also appears that they can stop laying if they so desire, and this she did, as, although I kept her five days longer, she would lay no more. As I had no access to mice or other rodents I shot some sparrows, one or two a day, though no doubt she could have taken care of more. These she ate entirely, leaving no sign of flesh, feathers, or claws, though she would not eat if she was aware that anyone was watching her. When anyone appeared suddenly in front of her cage she would assume an attitude of willingness to take either offensive or defensive, at the same time uttering a long scream and glaring at the intruder until she got accustomed to his presence, then she would settle down, continuing to glare at him. If our cat showed himself there was a continual screaming until the animal disappeared. After our interesting little visitor had spent her seventh day with us we took her back to the same field and released her.

Benicia, Solano County, Calif.

EMERSON A. STONER.

## THE CHICAGO ORNITHOLOGICAL SOCIETY

Dr. R. M. Strong, with twenty-two students of ornithology in the University of Chicago, founded the Chicago Ornithological Society in December, 1912. The purpose of the Society being to stimulate interest in the study of Bird Life, especially our local birds, by the collection of data and comparison of field notes on the birds of the Chicago area.

The meetings were at first held in the buildings of the University, but as the membership of the Society grew, with members residing in all parts of the city, a central meeting place became desirable, and since 1915 the Society has held monthly meetings in the Loop District. A number of our members were kind enough to tender the use of their downtown offices for this purpose and those of us who have attended these meetings during

the past five years will recall many pleasant and profitable evenings, when we gathered in the reception room of Dr. Groenewoud or Dr. Test or Dr. Lewy. For over a year past the meetings were held in the rooms of the Cook County Forest Preserve in the County Building, then the Crerar Library gave the use of the Class Room in their new building at Michigan Boulevard and Randolph Street, where meetings have been held since March, 1921.

From a small beginning, with but a handful in attendance, the Society has grown until today the meetings are well attended. It has encouraged the scientific side of ornithology and has gathered together a group of students who are doing valuable work and who obtain both instruction and enjoyment in the informal Round Table talks, when notes and experiences are read, compared and discussed. One or two field trips are held each year. A committee has under its care the recording of migration and nesting data of the birds of the Chicago area. Some members travel about over the country and return with a message for us on the birds of distant States, while stay-at-home members bring us the message gleaned from an intimate study of one or more of our own local birds. But after all it is the enthusiasm, mutual help and good fellowship these meetings inspire that assures the Chicago Ornithological Society a bright and lasting future.

Chicago, Ill.

CHRESWELL J. HUNT.